

Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Esthetic Colorant

· Article number: 896

· Registration number Not applicable

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Colorings for dental ceramics

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Kuraray Europe GmbH Philipp-Reis-Str. 4,

65795 Hattersheim am Main

Germany

Phone: +49 (0)69 305 35 835 E-mail: dental.eu@kuraray.com

· Further information obtainable from: Supplier

· 1.4 Emergency telephone number:

( UK ) 0 800 680 0425 ( GB ) +44 20 35147487 ( AU ) +61 2 80363166

\* 3E Company

\* Kuraray Access Code:334674

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350i May cause cancer by inhalation.

Repr. 1B H360D May damage the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Additional information

Medical devices as defined in Regulation (EU) 2017/745 and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (GB CLP/GHS) usually if they are in the finished state and intended for the final user.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

3-aminopropyltriethoxysilane

(Contd. on page 2)



Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

**Trade name: Esthetic Colorant** 

(Contd. of page 1)

Nickel bromide (NiBr2), trihydrate aluminum chloride hexahydrate

#### · Hazard statements

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350i May cause cancer by inhalation.

H360D May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards Dust generation.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
	Propylene glycol substance with a Community workplace exposure limit	<10%			
	3-aminopropyltriethoxysilane Skin Corr. 1B, H314;  Acute Tox. 4, H302	<5%			
	Nickel bromide (NiBr2), trihydrate  Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1A, H350i; Repr. 1B, H360D; STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	<3%			
	aluminum chloride hexahydrate ♦ Skin Corr. 1B, H314	≤1%			

## Other ingredients:

Water

**Pigments** 

Dyes

G



Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

**Trade name: Esthetic Colorant** 

(Contd. of page 2)

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures See Section 8.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways.

Vacuum or sweep material and place in a disposal container. Provide ventilation.

Use appropriate Personal Protective Equipment (PPE).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors/spray.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store at room temperature.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

GB



Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

Trade name: Esthetic Colorant

(Contd. of page 3)

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### 57-55-6 Propylene glycol

WEL Long-term value: 474\* 10\*\* mg/m³, 150\* ppm \*total vapour and particulates \*\*particulates

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Liquid

· Colour: According to product specification

• Odour: Odourless
• Melting point/freezing point: Not determined

· Boiling point or initial boiling point and boiling

range Not determined 
• Flammability Not determined

· Lower and upper explosion limit

· Lower: Not determined · Upper: Not determined

(Contd. on page 5)



Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

**Trade name: Esthetic Colorant** 

(Contd. of page 4)

· Flash point:	Not determined				
· Auto-ignition temperature:	Not determined				
Decomposition temperature:	Not determined				
· pH	Not determined				
Viscosity:					
Kinematic viscosity	Not determined				
· Dynamic:	Not determined				
Solubility					
water:	Miscible				
· Partition coefficient n-octanol/water (log value)	Not determined				
· Vapour pressure:	Not determined				
Density and/or relative density					
· Density:	Not determined				
· Relative density	Not determined				
· Relative vapour density	Not determined				
· 9.2 Other information					
· Appearance:					
· Form:	Liquid				
· Important information on protection of health and					
environment, and on safety.					
Explosive properties:	Product does not present an explosion hazard.				
· Change in condition	•				
· Evaporation rate	Not determined				
Oxidising gases	Void				
· Gases under pressure	Void				
Flammable liquids	Void				
· Flammable solids	Void				
· Self-reactive substances and mixtures	Void				

Void

Void

Void

Substances and mixtures, which emit flammable gases in contact with water
 Void
 Oxidising liquids
 Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives

## **SECTION 10: Stability and reactivity**

· Self-heating substances and mixtures

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Pyrophoric liquids

· Pyrophoric solids

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

**Trade name: Esthetic Colorant** 

(Contd. of page 5)

٠	LD/LC50	values r	elevant f	for c	lassification:
---	---------	----------	-----------	-------	----------------

### 919-30-2 3-aminopropyltriethoxysilane

 Oral
 LD50
 1,780 mg/kg (rat)

 Dermal
 LD50
 4,000 mg/kg (rabbit)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- · Germ cell mutagenicity Suspected of causing genetic defects.
- · Carcinogenicity May cause cancer by inhalation.
- · Reproductive toxicity May damage the unborn child.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Harmful to aquatic life with long lasting effects.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, IMDG, IATA Void

(Contd. on page 7)



Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

**Trade name: Esthetic Colorant** 

		(Contd. of page 6)
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	g to IMO  Not applicable.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 94/33/EC: Care should be taken when people under 18 handle this product.
- · Directive 94/85/EEC: No further relevant information available.
- · Chemical safety assessment
- · Named dangerous substances ANNEX I None of the ingredient is listed.
- · Regulation (EU) No 649/2012
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350i May cause cancer by inhalation.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

ELINCS: European List of Notified Chemical Substances

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 2: Germ cell mutagenicity - Category 2

Carc. 1A: Carcinogenicity - Category 1Ai

Repr. 1B: Reproductive toxicity - Category 1B

(Contd. on page 8)



Printing date 25.04.2023 Version number 2 Revision date: 25.04.2023

**Trade name: Esthetic Colorant** 

(Contd. of page 7)

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 \* \* Data compared to the previous version altered.